Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
# L26	2773	(generat\$3 creat\$3) near2 name near2 (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:51
L27	984	(generat\$3 creat\$3) near1 name near1 (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:51
L28	6	27 and (index indice) with order same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:09
L29	1134	(index indice) with order same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
L30	57	26 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
L31	51	30 and ("file name" "document file")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/11/08 15:10
L32	32	31 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:13
L33	532	27 and (document data) with (handling manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:14

		EAST Search	•			
L34	274	33 and (coupl\$3 combin\$3 link\$3) with (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:15
L35	164	34 and (generat\$3 creat\$3) with (document file) same (coupl\$3 combin\$3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:15
L36	80	35 and (index indexes indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:16
S2	1	("6,266,683").PN.	USPAT; USOCR	OR	OFF	2005/12/10 18:22
<b>S3</b>	47127	(document or file) with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:23
S4	3040	S3 and (nam\$3 with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:25
S5	254	S4 and (index with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:25
S6 .	54	S5 and (nam\$3 with (index and document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ·	2005/12/10 19:08
S7	200	S5 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:08

S8	40	S7 and ((creat\$3 or generat\$3) with name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:29
S9	1138	S4 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S10	202	S9 and ((creat\$3 or generat\$3) with name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S11	162	S10 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S12	159	S11 and (document with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:14
S13	29	S11 and (creat\$3 or generat\$3) with name with section with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:39
S14	100	(creat\$3 or generat\$3) with name with section with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:27
S15	52	S14 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 20:37

646		645 181			1 01:	2007/40/10 22 12
S16	14	S15 and "document management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:16
S17	41	(creat\$3 or generat\$3) with name with section same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:27
S18	34	S17 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:38
S19	26996	(folder or file or document) with director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:38
S20	7721	S19 and ((creat\$3 or generat\$3) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:39
S21	6761	S20 and ((director\$3 or folder\$1 or file\$1) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:40
S22	1266	S21 and (name with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:40
S23	216	S22 and (index same name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:41

				· · · · · · · · · · · · · · · · · · ·		
S24	45	S23 and (index with order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:42
S25	2232	"document management system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:16
S26	720	S25 and ((section or fragment or segment or partial or portion) with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:53
S27	79	S26 and (name with (section or fragment or segment or partial or portion) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:18
S28	46	S27 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:18
S29	45	S28 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:40
S30	8576	(decompos\$3 or divid\$3) with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:53
S35	3745	S30 and ((section or fragment or segment or partial or portion) with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:37

S36	425	S30 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:38
S40	371	S35 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:57
S41	48	S40 and (name with index same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:13
S42	38	S41 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:58
S43	323	S40 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:13
S44	123	S43 and ((creat\$3 or generat\$3) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:13
S45	49	S44 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:36
S46	423	S35 and (document with hierarch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:29

			<u></u>	1	1	
S47	109	S46 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S48	75	S47 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:38
S49	28	S48 and nest\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:50
S50	47	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 17:54
S51	291	(creat\$3 or generat\$3) with name with content with document .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:06
S52	105	S51 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/12/11 17:55
S53	74	S52 and (document with manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 17:57
S54	42	S53 and (search\$3 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:06

		Table 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			т	
S55	32	S53 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:01
S56	186	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:17
S57	21	S56 and (search\$3 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/12/11 18:06
S58	36	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S59	10	S58 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:20
S60	26	S58 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:20
S61	24335	(generat\$3 creat\$3) with name with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:18
S62	9068	S61 and (coupl\$3 combin\$3 bind\$3) with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:19

S63	6697	S62 and (document\$3 file data) with (handl\$3 manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:20
S64	3150	S63 and (index\$2 or indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:20
S65	2575	S64 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:21
S66	1921	S65 and (display\$3 with (document file data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:23
S68	618	S66 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:25
S69	90	S68 and ((form\$3 generat\$3 creat\$3) with (document file) same (combin\$3 coupl\$3 bind\$3) same name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/07 16:18
S70	30	S69 and (index same (order sequence) same (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:19
S71	24359	(generat\$3 creat\$3) with name with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18

S72	9078	S71 and (coupl\$3 combin\$3 bind\$3) with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S73	6704	S72 and (document\$3 file data) with (handl\$3 manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S74	3154	S73 and (index\$2 or indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S75	2579	S74 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S76	1925	S75 and (display\$3 with (document file data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S77	619	S76 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S78	91	S77 and ((form\$3 generat\$3 creat\$3) with (document file) same (combin\$3 coupl\$3 bind\$3) same name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S80	31	S78 and (index same (order sequence) same (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/11/07 16:19

			_	1		<del>,</del>
581		S78 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:20
S82	19	S81 and (decompos\$3 compos\$3) with (document\$1 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:02
S84	5	((derivative or derivation) with image\$1) and (image with name with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:08
S85	436	(image with name with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:08
S86	170	S85 and (generat\$3 compos\$3 decompos\$3 creat\$3) with image with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:09
S87	25	S86 and derivative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18
S88	145	S86 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18
S89	11	S88 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18

			sco. y			
S90	22718	(nam\$3 with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:26
S91	1871	S90 and ((combin\$3 compos\$3 decompos\$3) with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:27
S92	484	S91 and (generat\$3 creat\$3) with name with (file document section segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:28
S93	242	S92 and (index\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:28
S94	109	S93 and (combin\$3 compos\$3) with (type format) same (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:14
S95	64	S94 and (patent with (document application file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:45
S96	45	S94 not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:49
S99	856	ricoh-co-ltd.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:51
S10 0	18802	("707").CLAS.	USPAT; USOCR	OR	OFF	2006/11/07 17:51

			_			
S10 1	15	S99 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 17:51
S10 2	19240	(creat\$3 or generat\$3) with name same (file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:46
S10 3	1090	S102 and (document with hierarch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S10 4	302	S103 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S10 5	197	S103 and ((section or fragment or segment) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S10 6	43	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:47
S10 7	0	S105 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:31
S10 8	412	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) and folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:32

			1	T-1	1	T
S10 9	19	S105 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:33
S11 1	3991	(creat\$3 or generat\$3) near2 name with (file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:46
S11 3	253	S111 and (creat\$3 or generat\$3) near2 name with (section or segment or fragment or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:48
S11 4	122	S111 and (creat\$3 or generat\$3) near2 name near4 (section or segment or fragment or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:49
S11 5	46	S114 and (index\$2 indice\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:09
S11 6	182	(segment section) with identical with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 19:12
S11 7	11	S111 and S116 ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:13
S11 8	171	S116 not S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:13

			Ţ	1	T	
S11 9		S118 and (combin\$3 compos\$3) same (type format) same (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:15
S12 0	166	S118 not S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:15
S12 1	0	S120 and (combin\$3 with (segment section)) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:16
S12 2	38	S120 and ((combin\$3 coupl\$3) with (segment section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:16
S12 3	9	S122 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:17
S12 4	29	S122 not S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:53
S12 5	204	("document name" "file name") with generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 19:53
S12 6	32	S125 and index\$3 with (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:58